ELKOSTA WEDGE BARRIER K12 High Security





elkosta Wedge Barrier KI2 with optional skirt

Optimal security solution for highly sensitive entry points



wheeled vehicles of all sizes and weights for highly sensitive entry Application type and function forming a vehicle check point.

Wedge Barriers offer maximum industrial plants, military sites, security against unauthorized airports and other high security areas.

points. Typical areas of application are The Wedge Barrier K12 is designed embassies, government seats, research to guarantee the full level of security and development centres, power stations, and it can be installed as a single unit or

in combination with other products (e.g. barriers, gates, tyre killer or bollards) in order to realise a sluice arrangement



elkosta Wedge Barrier KI2

raise (automatically or via controller) and lowered position the Wedge Barrier is block the entrance within 3 second or absolutely unobtrusive and flush version with safety skirt at a reduced 1 second with the optional emergency with the road surface. It is available in height of 1000 mm is also available. fast operation (via accumulator). blocking widths of 2 to 4 meter and Due to the optional warning plate with has a blocking height of 1200 mm. The We reserve the right to alter product flashing lights and its eye catching warning Wedge barrier is predestined to be installed information without any obligation. colour(s) the blocking segment is clearly in inner cities where deep foundations

operation the blocking segment will visible to approaching vehicles. In the arenot possible due to its shallow foundation

of only 400 mm. A closed wedge barrier

Advantages of the elkosta Wedge Barrier KI2

Designed for an impact rate of 1852 kJ (7,5t @80km/h) Extremely fast operation (approx 1 sec EFO option) Shallow foundation (400 mm) Blocking segment with optional warning plate with flashing lights Rigid construction to withstand highest impact loads Easy and fast installation Delivery as a ready-to-install unit Long term corrosion protection Low maintenance Installation in all climate zones possible Designed for high wheel load, heavy vehicles can pass the lowered wedge Emergency operation during power failure via hand pump or accumulator (optional) Certifications: DOS SD - STD - 02.01. Rev. A 03/2003 K12/L3 PAS 68: V/7500[N3]/80/90:0.0/18.0 (tested with 4 m blocking width) PAS 68: D/7500/80/90/1852 (wedge with saftey skirt)

The Gunnebo Security Group provides efficient and innovative security solutions to customers around the globe. It employs 5700 people in 32 countries across Europe, Asia, Africa, Australia and North America, and has a turnover in excess of €650m. Gunnebo focuses its offering on Bank Security & Cash Handling, Secure Storage, Entrance Control and Services.

We make your world safer.

High security solutions from Gunnebo are marketed and sold under the following brands:









Gunnebo Middle East FZE Dubai Airport Free Zone P.O. Box 54435 Dubai United Arab Emirates

Phone: +971 4 7017837 Fax: +971 4 7017835 Email: info.ae@gunnebo.com www.gunnebo.com

