



The smart combination of gate and barrier



Gunnebo Middle East FZE Dubai Airport Free Zone P.O. Box 54435 Dubai United Arab Emirates

Phone: +97I 4 70I7837
Fax: +97I 4 70I7835
E-Mail: info.ae@gunnebo.com
www.gunnebo.com



EntraQuick® | & ||

TÜV certified, cantilevered quick folding gate


passage, to efficiently support post and folding leaf unit. It is heights and opening widths. smooth workflows in everyday driven by two AC motors. The operation! Furthermore no gate leaves fold open inwards

The TÜV type-tested, fully run back area is required. Due towards the secure site and cantilevered quick folding to its solid bar infill and the with an (optional) additional EntraQuick® offers full-height ingenious lever kinematics control each leaf can be perimeter protection in closed EntraQuick® is particularly opened separately if required. position and unobstructed stable and doesn't require an EntraQuick® is a perfect security for each entry or exit additional floor lock in closed substitute for combined gate situation due to its trackless position. EntraQuick® can be and barrier installation at design. Its extremely high speed installed easily and quickly access points. There are two allows a quick closing after each thanks to pre-assembled drive models available in different





	ENTRAQUICK® I	ENTRAQUICK® II
HEIGHT	2,05 m, 2,45 m	2,05 m, 2,55 m, 3,05 m
CLEAR OPENING WIDTH	3 - 6 m in 500 mm increments	4 - 8 m in 500 mm increments
INFILL	Barinfill	
PROFILES	Standard profiles	
FOUNDATIONS	Top edge of foundation 200 mm below finished floor level	
DRIVE UNIT	AC motor	
CONTROL UNIT	Multifunctional, automatic control unit WE-Tronic II with integrated frequency converter	
INTERLOCKING	Via reception fork and in-feed roller	Via drive mechanism supported by interlocking of gate leaves through reception fork and in-feed roller
OPERATING TEMPERATURE	-20°C bis +60°C	
CERTIFICATIONS	TÜV type-tested according to DIN EN 13241-1 and EC-Machine-Directive 2006/42/EG	
OPTIONS	Floodlight, remote control, rotating beacon, safety edges and induction loops, 230 V AC motor, various colours, LED lighting for the realisation of a traffic light system	



EntraQuick® -

one of the few quick folding gates in the world

with TÜV certification according to DIN EN 13241-1!

Optimum protection through proper combination

creates a vehicle access point forceful entry of vehicles and

Depending on requirements with pedestrian separation. people. This solution is ideal EntraQuick® can easily be Along with elkosta High Security for protecting against terrorist combined with other products. products such as vehicle attacks and guarantees a high In combination with the barriers EntraQuick® offers level of protection. TurnSec turnstile from Werra it an immediate closure against



